

Cheetah Piss

Lab ID: 250128-732-TEDA-1

METRC Batch: ; METRC Sample:

Sample ID: 2604PHS0172.0706

Strain: Cheetah Piss

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 04/26/2026

Batch#:



Summary

Test

Cannabinoids

Heavy Metals

Date Tested

04/26/2026

04/26/2026

Result

Pass

Pass



Cannabinoids

Pass

22.994%		ND		24.058%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	%	mg/g	
THCa	0.01	0.01	26.090	260.90	
Δ9-THC	0.01	0.01	0.113	1.13	
Δ8-THC	0.01	0.01	ND	ND	
THCVa	0.01	0.10	ND	ND	
THCV	0.01	0.10	ND	ND	
CBDa	0.01	0.01	ND	ND	
CBD	0.01	0.01	ND	ND	
CBDVa	0.01	0.10	ND	ND	
CBDV	0.01	0.10	ND	ND	
CBN	0.01	0.10	ND	ND	
CBGa	0.01	0.10	1.213	12.13	
CBG	0.01	0.10	ND	ND	
CBC	0.01	0.10	ND	ND	
(6aR,9S)-d10-THC	0.01	0.01	ND	ND	
(6aR,9R)-d10-THC	0.01	0.01	ND	ND	
Total THC			22.994	229.940	
Total CBD			ND	ND	
Total			27.416	274.16	

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
04/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Cheetah Piss

Lab ID: 250128-732-TEDA-1

METRC Batch: ; METRC Sample:

Sample ID: 2604PHS0172.0706

Strain: Cheetah Piss

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 04/26/2026

Batch#:

Producer

TED.Approved

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	ND	Pass
Cadmium	0.0167	0.05	0.2	0.08	Pass
Lead	0.0167	0.05	0.5	0.06	Pass
Mercury	0.0167	0.05	0.1	ND	Pass



pH SOLUTIONS

Date Tested: 04/26/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 16 CCR § 5723



Rkeledjian

Raquel Keledjian
Lab Director
04/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian