QA Testing

**PharmLabs San Diego** Certificate of Analysis

Sample **CANDY TRUFFLE**

PharmLabs
HONEST ACCURATE FAST ANALYTICS

| Delta9 THC | THCa | Total THC (THCa * 0.877 + THC) | Delta8 THC |
|---|---|---|---|
| 0.08% | 26.63% | 23.44% | ND |

Sample ID **SD260120-034 (131720)** Matrix **Flower**
Tested for
Sampled - Received **Jan 20, 2026** Reported **Jan 20, 2026**
Analyses executed **CAN+, MWA, SDR**

## * CAN+ - Cannabinoids

Analyzed **Jan 20, 2026** | Instrument **HPLC-VWD** | Method **SOP-001**
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|---|---|---|---|---|
| Cannabidivarin (CBDv) | 0.039 | 0.16 | ND | ND |
| Cannabidibutol (CBDb) | 0.011 | 0.03 | ND | ND |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | 3.91 | 39.10 |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | 0.19 | 1.90 |
| Cannabigerol (CBG) | 0.048 | 0.16 | <LOQ | <LOQ |
| Cannabidiol (CBD) | 0.069 | 0.229 | 0.06 | 0.59 |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.16 | ND | ND |
| Cannabinol (CBN) | 0.047 | 0.16 | ND | ND |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | 0.08 | 0.85 |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | ND | ND |
| Cannabicyclol (CBL) | 0.0012 | 0.16 | ND | ND |
| Cannabichromene (CBC) | 0.13 | 0.432 | ND | ND |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | 26.63 | 266.27 |
| **Total THC** ( THCa * 0.877 + Δ9THC ) | | | 23.44 | 234.37 |
| **Total THC + Δ8THC** ( THCa * 0.877 + Δ9THC + Δ8THC ) | | | 23.44 | 234.37 |
| **Total CBD** ( CBDa * 0.877 + CBD ) | | | 3.49 | 34.88 |
| **Total CBG** ( CBGa * 0.877 + CBG ) | | | 0.17 | 1.67 |
| **Total Cannabinoids Analyzed** | | | 27.09 | 270.92 |

*Dry Weight %

## MWA - Moisture Content & Water Activity

Analyzed **Jan 20, 2026** | Instrument **Chilled-mirror Dewpoint and Capacitance** | Method **SOP-008**

| Analyte | LOD $a_w$ | LOQ $a_w$ | Result | Limit | Analyte | LOD % M/w | LOQ % M/w | Result | Limit |
|---|---|---|---|---|---|---|---|---|---|
| Water Activity (WA) | 0.03 | 0.03 | 0.54 $a_w$ | 0.85 $a_w$ | Moisture (Moi) | 0.0 | 0.0 | 7.6 % Mw | 13 % Mw |

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

PJLA Testing Acc. #85368

DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Tue, 20 Jan 2026 14:37:03 -0800



PharmWare LABORATORY LIMS & ELN

PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.