



Sample **THCp 15mg + D8 215mg + CBG 20mg/e Batch 9G26001Y/Strawberry/PO5126**

Delta9 THC 0.10%	THCa ND	Total THC (THCa * 0.877 + THC) 0.10%	Delta8 THC 3.35%
-------------------------	----------------	---	-------------------------

Sample ID SD260803-012 (116422)	Matrix Edible
Tested for Unlimited Gummies	
Received Aug 03, 2026	Reported Aug 07, 2026
Analyses executed CANx, D9C	Unit Mass (g) 9.909 Num. of Servings 2 Serving Size (g) 4.95

Summary D9C: The total **Δ9**-THC content in this sample is 0.10%. For the most accurate **Δ9**-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for **Δ8**-THC and **Δ9**-THC due to isomer interference: GC MS/MS was employed to avoid this issue.

D9C - D9 Confirmation

Analyzed **Aug 07, 2026** | Instrument **GC MS/MS** | Method **SOP-041 D9C**
The expanded Uncertainty of the D9 Confirmation analysis is approximately **±7.81%** at the 95% Confidence Level

Analyte	LOD ppb	LOQ ppb	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Δ9-Tetrahydrocannabinol (Δ9-THC)	1.462	4.432	0.10	1.01	5.00	10.01
Total Cannabinoids Analyzed	-	-	0.10	1.01	5.00	10.01

CANx - Cannabinoids

Analyzed **Aug 04, 2026** | Instrument **HPLC-VWD** | Method **SOP-001**
The expanded Uncertainty of the Cannabinoids analysis is approximately **±7.81%** at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND	ND	ND
Cannabidiolcin (CBDO)	0.006	0.02	ND	ND	ND	ND
Abnormal Cannabidiolcin (a-CBDO)	0.013	0.038	ND	ND	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC)	0.015	0.045	ND	ND	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.015	0.045	ND	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.048	0.16	0.44	4.44	21.98	44.00
Cannabidiol (CBD)	0.069	0.229	ND	ND	ND	ND
1(S)-Tetrahydrocannabinol (1(S)-H4-CBD)	0.008	0.026	ND	ND	ND	ND
1(R)-Tetrahydrocannabinol (1(R)-H4-CBD)	0.016	0.049	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.049	0.162	<LOQ	<LOQ	<LOQ	<LOQ
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.012	0.036	0.04	0.35	1.73	3.47
Cannabidihexol (CBDH)	0.014	0.042	ND	ND	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.01	0.029	ND	ND	ND	ND
Cannabinol (CBN)	0.047	0.16	0.03	0.26	1.29	2.58
Cannabidiphoral (CBDP)	0.016	0.049	ND	ND	ND	ND
exo-THC (exo-THC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	D9C	D9C	D9C	D9C
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	3.35	33.50	165.82	331.95
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.8	ND	ND	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.8	ND	ND	ND	ND
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.8	ND	ND	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.02	0.061	ND	ND	ND	ND
Cannabinol Acetate (CBNO)	0.009	0.027	ND	ND	ND	ND
9(S)-Hexahydrocannabinolic Acid (9(S)-HHCA)	0.063	0.065	ND	ND	ND	ND
9(R)-Hexahydrocannabinolic Acid (9(R)-HHCA)	0.191	0.196	ND	ND	ND	ND
Δ9-Tetrahydrocannabiphoral (Δ9-THCP)	0.017	0.8	0.37	3.71	18.36	36.76
Δ8-Tetrahydrocannabiphoral (Δ8-THCP)	0.041	0.8	<LOQ	<LOQ	<LOQ	<LOQ
Cannabicitran (CBT)	0.005	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.8	ND	ND	ND	ND
9(S)-HHCP (s-HHCP)	0.013	0.041	ND	ND	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.8	ND	ND	ND	ND
9(R)-HHCP (r-HHCP)	0.015	0.045	ND	ND	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.037	0.112	ND	ND	ND	ND
9(R)-HHC-O-acetate (r-HHCO)	0.031	0.093	ND	ND	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.021	0.062	ND	ND	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			D9C	D9C	D9C	D9C
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			3.35	33.50	165.82	331.95
Total CBD (CBDA * 0.877 + CBD)			ND	ND	ND	ND
Total CBG (CBGa * 0.877 + CBG)			0.44	4.44	21.98	44.00
Total HHC (9r-HHC + 9s-HHC)			ND	ND	ND	ND
Total Cannabinoids Analyzed			4.23	42.26	209.19	418.75



UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected below the limit of quantification
>ULOL Above the upper limit of linearity
mg/g Milligrams per gram
ug/g Micrograms per gram
ug/kg Micrograms per kilogram
EU/mg Endotoxin units per milligram
CFU/g Colony-forming units per gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368
COA version: **V1**
Generated: **Aug 07, 2026 10:22 AM**
PDT



Authorized Signature
Brandon Starr
Brandon Starr, Quality Assurance Manager
Fri, 07 Aug 2026 10:22:43 -0700

Recreational LLC
Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063
Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper
Ingestible, Gummy



Tests Summary

Cannabinoids Not Tested	Moisture Not Tested	Microbials Pass
Water Activity Pass	Foreign Matter Pass	Homogeneity Not Tested
Terpenes Not Tested	Contaminant Load Not Tested	Residual Solvents Pass
Mycotoxins Pass	Heavy Metals Pass	Pesticides Pass
Kratom Not Tested		



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Microbials

Sample Prep

Tech: 4302
SOP: SOP 406-FL
Batch Number: WTYMFL-FL0822-0009503
Batch Date: 08/21/2026 20:11

Sample Analysis

Date/Time: 08/24/2026 10:39
Tech: 4509
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / 3M Petrifilm Plate Reader
Initial Weight: 3.022 g
Final Weight: 3.022 g
Dilution Factor for Sample: 1

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	None Present	Absence	Passed
Aspergillus Flavus	None Present	Absence	Passed
Aspergillus Fumigatus	None Present	Absence	Passed
Aspergillus Niger	None Present	Absence	Passed
Aspergillus Terreus	None Present	Absence	Passed
STEC E. Coli	None Present	Absence	Passed
Total Aerobic Microbial Count		ND	Tested



Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Water Activity

Sample Prep

Tech: 4524
SOP: SOP 407-FL
Batch Number: WWAFL-FL0820-0009365
Batch Date: 08/20/2026 10:18

Sample Analysis

Date/Time: 08/20/2026 14:21
Tech: 4521
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3530 / MOC63u Balance - 2900
Initial Weight: 1.053 g
Final Weight: 1.053 g

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.59	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC
Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063
Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper
Ingestible, Gummy



Foreign Matter Sample Prep/Analysis

Tech: 4302
SOP: SOP 409-FL
Batch Date: 08/21/2026 08:07

Sample Analysis
Date/Time: 08/21/2026 10:41
Tech: 4521
SOP: SOP 409-FL
Initial Weight: 1 g
Final Weight: 1 g

Pass

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed



Sean Santiago
Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Residual Solvents

Sample Prep

Tech: 3358, 4509

SOP: SOP 405-FL

Batch Number: WRSVFL-FL0820-0009355

Batch Date: 08/19/2026 20:58

Sample Analysis

Date/Time: 08/21/2026 14:28

Tech: 4509

SOP: SOP 405-FL

Instrument: GCMS-HS - 3015

Initial Weight: 0.107 g

Final Weight: 0.107 g

Dilution Factor for Sample: 1

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	246	Passed
Ethyl Acetate	2.0	20.0	400.0	< LOQ	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	ND	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes			150.0	ND	Passed
1,1-Dichloroethene	0.7	2.0	8.0	ND	Passed



Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Mycotoxins

Sample Prep

Tech: 3358

SOP: SOP 424-FL

Batch Number: WPMCFL-FL0819-0009350

Batch Date: 08/19/2026 19:14

Sample Analysis

Date/Time: 08/20/2026 19:56

Tech: 4509

SOP: SOP 424-FL

Instrument: LC-MS/MS - 2998

Initial Weight: 0.101 g

Final Weight: 0.101 g

Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.980	9.901	20.000	ND	Passed
B2	1.980	9.901	20.000	ND	Passed
G1	1.980	9.901	20.000	ND	Passed
G2	1.980	9.901	20.000	ND	Passed
Ochratoxin A	1.980	9.901	20.000	ND	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Heavy Metals

Sample Prep

Tech: 4509

SOP: SOP 428-FL

Batch Number: WMTLFL-FL0819-0009317

Batch Date: 08/19/2026 14:13

Sample Analysis

Date/Time: 08/24/2026 12:26

Tech: 4509

SOP: SOP 428-FL

Instrument: ICP-MS - 2837

Initial Weight: 0.238 g

Final Weight: 0.238 g

Dilution Factor for Sample: 50

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	8.610	78.748	1,500.000	ND	Passed
Cadmium	5.670	78.748	500.000	ND	Passed
Mercury	6.300	78.748	3,000.000	ND	Passed
Nickel	81.268	236.245	3,000.000	ND	Passed
Lead	5.670	236.245	500.000	< LOQ	Passed
Tin	237.295	314.994	4,000.000	ND	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g, Sample Size for Testing: 1.0000 Units
Batch#: 260810

COA Expiration Date: 08/19/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper

Ingestible, Gummy



Pesticides

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0819-0009350
Batch Date: 08/19/2026 19:14

Sample Analysis

Date/Time: 08/20/2026 19:56
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017
Initial Weight: 0.642 g
Final Weight: 0.642 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.009	0.022	0.300	ND	Passed
Acephate	0.010	0.025	3.000	ND	Passed
Acequinocyl	0.010	0.025	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.020	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.010	0.025	0.500	ND	Passed
Boscalid	0.012	0.050	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.025	0.100	ND	Passed
Clofentezine	0.010	0.025	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.025	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.025	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.011	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etiozole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.050	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.002	0.020	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Flonicamid	0.005	0.020	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed
Hexythiazox	0.005	0.020	2.000	ND	Passed
Imazalil	0.010	0.025	0.100	ND	Passed
Imidacloprid	0.025	0.124	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.020	0.050	2.000	ND	Passed
Mevinphos	0.009	0.022	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.025	3.000	ND	Passed
Naled	0.020	0.025	0.500	ND	Passed



Sean Santiago
Lab Manager



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC
Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063
Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper
Ingestible, Gummy



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclobutrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.025	1.000	ND	Passed
Phosmet	0.005	0.025	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.025	0.400	ND	Passed
Propiconazole	0.010	0.025	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.033	0.066	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.018	3.000	ND	Passed
Spinosyn AD	0.010	0.042	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed
Spirotetramat	0.005	0.025	3.000	ND	Passed
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.025	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chloromequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



Sean Santiago
Sean Santiago
Lab Manager